

BPS ACCESS SOLUTIONS

PODIUM ASSEMBLY GUIDE

COMPONENTS

0.75M PODIUM- 1 X MAINFRAME, 1 X PLATFORM, 1 X LADDER (2 RUNG)

1M PODIUM - 1 X MAINFRAME, 1 X PLATFORM, 1 X LADDER (3 RUNG)

1.25M PODIUM - 1 X MAINFRAME, 1 X PLATFORM, 1 X LADDER (4 RUNG)

1.5M PODIUM - 1 X MAINFRAME, 1 X PLATFORM, 1 X LADDER (5 RUNG)

1.75M PODIUM - 1 X MAINFRAME, 1 X PLATFORM, 1 X LADDER (6 RUNG)
2 X STABILISERS.

2M PODIUM - 1 X MAINFRAME, 1 X PLATFORM, 1 X LADDER (7 RUNG),
2 X STABILISERS



1. CHECK ALL COMPONENTS ARE PRESENT



2. OPEN MAINFRAME ENSURING LOCKING JOINT IS SECURED



3. FIT PLATFORM AT THE CORRECT HEIGHT



4. POSITION CASTORS AT A 45 DEGREE ANGLE AND LOCK IN PLACE.



5. PLACE THE LADDER INTO POSITION USING THE LOCATION RINGS. ENSURE HOOKS ARE SECURED



6. CLOSE THE GATE BEHIND YOU ENSURING THE HOOK IS LOCKED



MAXIMUM WEIGHT PER PLATFORM MUST NOT EXCEED 150KG

PLEASE NOTE - STABILISERS MUST BE USED WITH THE 1.75M AND 2M PLATFORM HEIGHT PODIUMS